HVCA

(mm)

High Voltage Ceramic Capacitors 10 to 50 KVDC


HVCA's high voltage ceramic capacitors are epoxy encapsulated and designed to meet the demanding requirements of high voltage applications. They are appropriate for applications requiring a low dissipation factor, small voltage coefficient and good temperature characteristics.

FEATURES

- Compact size with low dissipation factor
- Low voltage coefficient
- Epoxy encapsulated internal screw thread design
- Up to 50kV DC working voltage

APPLICATIONS

- Lasers
- HV power supplies
- Lightning arresters, voltage distribution systems
- Electrostatic coating and spray equipment
- Electron Microscopes and synchroscopes




Part Number	Cap(pf)	Cap Tol	DC Rated Voltage	Dim	ensions (n	nm)	Terminal Type (screw thread type)
		%	KV	D	L	H	
NY5Y5P251K15KV	250			24	20	18	
NY5Y5P501K15KV	500		15	30	20	18	M3X4
NY5Y5P102K15KV	1000			40	20	18	
NY5Y5P251K20KV	250			52	20	18	M4X4
NY5Y5P502K20KV	500	±10	20	24	26	24	WI4A4
NY5Y5P102K20KV	1000			30	26	24	M5X4
NY5Y5P251K30KV	250		30	40	26	24	
NY5Y5P501K30KV	500		50	52	26	24	M5X4
NY5Y5P251K40KV	250		40	60	26	24	101374
NY5Y5P501K40KV	500		40	60	26	24	



HV Component Associates Farmingdale, NJ 07727 (732) 938-4499 www.hvca.com HVCA and CKE are subsidiaries of Dean Technology CKE Lucernemines, PA 15754 (724) 479-3533 www.cke.com





8

HVCA

Item		Specifications	Testing Method			
Operating Temp		-20°C ± 85°C				
Capacitance		Within Spec'd Tolerance	The capacitance should be measured at 25°C with 1±0.1kHz and AC 1 to 5 (rms)			
Temperature Characteristics		Capacitance Change	The Capacitance measurement should be made at each step specified in the table. Capacitance change from the value of sep 3 should not exceed the limit specified.			
Dissipation Factor (D.F.)		See Component Curves	The dissipation factor should be measured at 25°C with 1 \pm 0.1kHz and AC 1 to 5V (rms)			
Dielectric Strength	Between Terminals	No Failure	The capacitor should not be damaged when DC voltage of 150% of the rated voltage is applied between the terminals for 60±5 seconds in insulating liquid or gas.			
Insulation Resistance (I.R.)		>104MΩ	The insulation resistance should be measured with 1000V DC within 60±5 seconds of charging.			
Strength of Terminal	Torque Strength	ISO M4 1.5NM Torque Max	When mounting these capacitors in equipment, it is important not to exceed the max torque figure in the column to the left.			
Life	Appearance Cap Change D. F. I. R.	No Marked Defect Within ±20% 5.0% Max 1000MΩ	Apply a DC Voltage of 125% rated voltage for 100 to 125 hours in silicon oil at 85±2°C. Post-treatment: Capacitor should be stored for 24 hours at room temperature*.			
Steady State Humidity	Appearance Cap Change D. F. I. R.	No Marked Defect Within ±20% 5.0% Max 1000MΩ	Set capacitor for 100 to 125 hours at 40±2°C in 90 to 95% relative humidity. Post-treatment: Capacitor should be stored for 24 hours at room temperature*.			

*Room temperature -15 to 35°C - Relative humidity 45 to 75% - Atmospheric pressure 86 to 106 kPA





HV Component Associates Farmingdale, NJ 07727 (732) 938-4499 www.hvca.com


HVCA and CKE are subsidiaries of Dean Technology





Typical Characteristic Data























CKE reserve the right to make changes in these specification at any time and without notice in order to supply the best product possible



HV Component Associates Farmingdale, NJ 07727 (732) 938-4499 www.hvca.com HVCA and CKE are subsidiaries of Dean Technology CKE Lucernemines, PA 15754 (724) 479-3533 www.cke.com



OLOGY E Ξ D Ň $\mathbf{0}$ Δ R D H

