




High Voltage Power Resistors Series MS500 High Power, Non-Inductive, High Temperature

High Voltage Power Resistors Series MS500 combine proprietary non-inductive resistance system, power film technology and design to achieve high stability, increased power rating and high operating voltages up to 50 kV.

MS500 Power Film Resistors cover a wide resistance range from 1 Ohm up to 10 MegOhm and operating temperatures from -55°C to +275°C. These resistors are ideally suited for high power and high frequency applications.





Model	Wattage	Max. Operating	Dimensions in millimeters ± 1.00 [Dimensions in inches ± 0.04]							
		Voltage*	L	В	С	D	G			
MS500.10	23.00	12'000	81 ± 1 [3.19 ± 0.04]	14.00 [0.55]	13.50 [0.53]	10.00 [0.40]	M4			
MS500.20	38.00	27'000	156 ± 1.5 [6.14 ± 0.06]	14.00 [0.55]	13.50 [0.53]	10.00 [0.40]	M4			
MS500.50	83.00	23'000	158 ± 1.5 [6.22 ± 0.06]	31.50 [1.24]	30.50 [1.20]	17.00 [0.67]	M8			
MS500.70	113.00	33'000	208 ± 2 [8.19 ± 0.08]	31.50 [1.24]	30.50 [1.20]	17.00 [0.67]	M8			
MS500.100	165.00	50'000	308 ± 3 [12.12 ± 0.12]	31.50 [1.24]	30.50 [1.20]	17.00 [0.67]	M8			

^{*} DC or AC peak in dry air.

Characteristics

Resistance Values	from 1Ω to as high as $10M\Omega$					
Tolerances	1%, 2%, 5%, 10% (other tolerances to 0.05% on request)					
Temperature Coefficients*	25, 50 and 100 ppm/°C (other temperature coefficients to 10 ppm/°C on request)					
Operating Temperature	-55 +275°C	(extended temperature range to 350°C available)				
Insulation Resistance	> 10'000 MΩ	500 Volt 25 °C 75% relative humidity				
Dielectric Strength	> 1'000 Volt	25 °C 75% relative humidity				
Thermal Shock	Δ R/R < 0.5% typ., 1% max.	MIL Std. 202, method 107 Cond. C		IEC 68 - 2 -14		
Overload	Δ R/R < 0.5% typ., 1% max.	1,5 x Pnom, 5 sec (do not exceed max. voltage)				
Moisture Resistance	Δ R/R < 0.5% typ., 1% max.	MIL Std. 202, method 106		IEC 68 - 2 - 3		
Load Life	Δ R/R < 0.5% typ., 1% max.	1000 hours at rated power		IEC 115 - 1		
Continuous Working Voltage	Power Limited	= √(PxR)				
Encapsulation	Silicone Conformal Coating	Core Material	Al ₂ O ₃ (96%	I ₂ O ₃ (96%)		
Lead Material	Brass Caps (lug terminations avail.)	Resistor Material Ruthenium		n Oxide		

 $^{^{\}star}$ Temperature Coefficient referenced to 25°C, ΔR taken at +125°C.

Derating Curve

